

Family owned and operated, manfacturing and selling quality metal working equipment since 1966



Phone 810.632.5419 Fax 810.632.6640





Founded in 1947 as Royal Tool & Die, a Detroit based tool shop for the automobile industry.

In 1966 Heck Industries was formed from humble beginnings when our founder, Philip Heck, created the Trace-A-Punch duplicating nibbler. He worked

to refine this machine in his garage, machining the parts on his mill, then assembling as many machines that he could fit into his car to travel around the country offering his unique solution for duplicating parts.

WOODWARD FAB

As he built a strong customer base and word traveled that Heck Industries had a tool that could produce fast prototype parts, sales grew. Soon we moved from the family home garage to our first shop in Redford Michigan. Being near the powerful manufacturing hub of the Motor City allowed him to secure skilled workers to help

manufacture the machines while he continued to travel, doing trade shows, and presenting his machines to the fabrication industry. New ideas followed, the Heck Bevel-Mill portable beveling machines were created which provided a better solution for the plate fabrication industry. The dust/smoke free beveling machine produces a safer environment for the operator and a higher quality machined edge for the fabricator. These machines and more are still manufactured today.

At Heck Industries and Woodward Fab we manufacture and supply quality equipment for specific unique industries in the metalworking trade. Our years of experience has helped us refine our equipment to offer the precise tools dedicated to produce the end process. Since 1966 we have strived to provide tooling solutions that allow our valued customers to maximize efficiencies, reduce labor costs, increase safety, produce the highest quality finishes, and ultimately save money.

To meet the goals of our customers we have expanded our line of sheet metal tools and fabrication equipment. The combination of our interest in offering unique tools and our passion for custom hot rodding fabrication led to the creation of Woodward Fab. We have enjoyed traveling the country, attending car shows and events to share in the experience by offering equipment with the most talented fabricators in the world. We continue to grow and are excited to work with you to create new tools that will help bring your dreams to reality. While we have grown from the home garage, we are still a strong family business, now into our 4th generation, providing the service that you'd expect being a part of our family.

NEW PRODUCTS!

Exciting new equipment choices from WOODWARD FAB

ENGLISH WHEELS



32" Throat Heavy Duty Fabricated Frame See Page 38 for more details.



Urethane Band for 8" Wheel.
See Page 37 for more details.




Adrian Casados Signature Wheel See Page 37 for more details.



BENCHTOP LIL WHEELIE

Perfect for trim and small artistic fabrications.
Available in 10" and 16" throat models.
See Page 38 for more details.



BEAD ROLLERS

Professional Power Bead Rollers Available in 24" and 42" Throat Depth Includes Fence, Stand, Variable Speed Control with 12 Piece Tooling Package. See Page 43 for more details.



NEW PRODUCTS!

Count on Woodward Fab for all your fabrication needs

SHRINKER STRETCHER



Our Strongest Machine! 14 Gauge Mild Steel Capacity See Page 34 for more details.





Now offering jaws specifically for aluminum and softer materials.

New Euro Design with active upper and lower jaws. Redesigned round spring loaded jaws create excellent bite without being too aggressive on your material.

See Page 35 for more details.



RING ROLLER

We've often been asked to make a small bench top ring roller with wider jaws and more capactiy. Our New Model can roll up to 3/16" mild steel up to 1-1/2" wide.

See Page 49 for more details.



Fabricators know that the best saw for accurate precise cuts is a cold saw. We have expanded our lineup with our new 16" (400mm) blade machine that can cut up to 4-1/2" Diameter Tube.

See Page 52 for more details.





NEW PRODUCTS!

WELD POSITIONING AND PREPARATION

Redesigned Mini Shape Beveler Can chamfer and debur curved shapes and inside holes as small as 5/16" See Page 27 for more details.

Heck Bevel-Mill® Model 1500 45° Beveling up to 3/16" Depth Portable, hand held and easy to operate.

See Page 30 for more details.






Heck Bevel-Mill® Model 2000 FAST 45° Beveling up to 1/4" Depth Portable, hand held and easy to operate.

See Page 30 for more details.

Heck Bevel-Mill® Model S100 Shape Beveler Capable of Beveling up to 3/16" at a 45° angle. Radius inserts available. See Page 27 for more details.







THROATLESS HAND SHEAR

- Throatless Design
- Cuts up to 3/16" Steel
- Shears up to 3/8" Round Bar
- Adjustable Work Hold Down
- Arched Top Blade Allows Effortless Cutting Throughout the Stroke
- Heavy Steel Frame

OUR TOP SELLER!

#SPHS8 8" Blade Length

^{\$}169⁹⁹



#SPHS5 5" Blade Length

#WFMS

#SPHS10 10" Blade Length **215**99


#SPHS12 12" Blade Length \$77099





- Crazy Shape Cutter
- Easily Cut Any Shape up to 1/8" Thick
- Forged Steel Frame
- Ratcheting Head
- Adjustable Cutter
- Adjustable Work Stop

\$**299**⁹⁹



Steve Hill "Lifted Life"

THROATLESS HAND SHEAR

 Multi-Purpose Sheet Metal/Plastic Cutter

 Cuts up to 14 Gauge Mild Steel, 18 Gauge Stainless Steel

• 5" Blade Length

 Geared Reduction Handle Makes Cutting Easy

\$379⁹⁹



#WFS-5

We Know What We Sell Call Us!




MODEL	LENGTH	FINGERS	ROLL DIA.	HANDLES	WEIGHT	PRICE
SP3-1-12	12"	1-1", 2-2", 1-3", 1-4"	1¹/4"	1	100#	\$459.99
SP3-1-30	30"	1-1", 1-2", 1-3" 1-6", 1-8", 1-10"	1 ¹ /4"	2	375#	§1129.99
SP3-1-40	401/2"	1-1", 1-1½", 1-2", 1-4", 1-7", 1-10", 1-15"	11/2"	2	575#	\$1699 . 99
SP3-1-52	52"	1-1", 1-1½", 1-2", 1-2½", 1-4", 1-7", 1-9", 1-10", 1-15"	1 ¹ /2"	2	860#	\$ 2999.99



BOX AND PAN BRAKE

- 48³/₄" Bed 12 ga Capacity
- Heavy Duty Hardened and Ground Fingers
- Counter Balance Weights
- Stand Included
- Super High Quality
- 8 Removable Fingers
 5 5", 3 4", 4 3"
- Maximum Box Depth
- Weight 1400 lbs.

\$4199⁹⁹





#WFBP4816 STAND ***339***9 #WF24 STAND ***169***9

BOX AND PAN BENDING BRAKES

- Solid Heavy Duty Construction
- Reinforced Frame
- Hardened and Ground Fingers
- Finger to Bend Leaf Gap can be Adjusted
- Maximum Box Depth

#WFBP4816 48" x 16 gauge 16 Removable Fingers 5 - 2", 5 - 4" and 6 - 3"

⁵1269⁹⁹

#WFBP2420 24'/₄" x 20 gauge 5 Removable Fingers 1", 2", 3", 8" and 10"

\$**495**99





BOX AND PAN BRAKE

- 12" Length
- 20 Gauge Capacity
- 5 Hardened, Removable Fingers
- Cam Lock Handle
- · Weight 65 lbs.

\$359⁹⁹



Capacity 16 Gauge (1/16") Mild Steel, 20 Gauge Stainless Steel

Maximum Box Depth 4"

• Removable Fingers 2", 3", 4"

- Bend Angle Stop -0 to 130 Degrees
- Floor Stand Included
- Counterweight Included
- Upper Beam, Adjustable for Radius Bending

#WFBOSS16 Length 48½" Weight 590 lbs.

\$1999⁹⁵

\$\$\$\$\$\$ Save Big if you "Bundle" a few items together. Call us to help select a metal fab package.

SHEET METAL BENDING BRAKES

- 36" Length Straight Brake
- 18 Gauge Capacity Mild Steel,
 16 Gauge (1/16" Aluminum)
- Bends up to 120 Degrees
- Dual Cam Lock Hold Down Handles
- Includes Floor Stand
- Weight 170 lbs.

\$**539**⁹⁹

Make Bends like a pro! Easy to operate!





- Bends up to 120 Degrees
- 43" Overall Height
- Includes Floor Stand
- Weight 420 lbs.

800.391.5419

www.woodwardfab.com


EURO STYLE STRAIGHT BRAKES

#WFSB6.5

- Bending Length 791/2"
- Weight 1360 lbs.



- Weight 1650 lbs.



HANDY OPERATOR FEATURES:

- Clamps Work Pieces Secure Bend up to 20 Gauge Mild Steel
- Bends up to 120 Degrees
- Heavy Duty Anti-Twist "Boxed" Upper Beam
- Floor Stand Included



Dan Wood Cut-Chop-Rebuild TV





EURO STYLE BRAKE

- 50" Box and Pan Brake
- 14 Gauge Capacity Mild Steel
- Air Cylinder Assist "No Need for Weights"
- Adjustable Hold Down Force
- Adjustable Bend Gap
- Foot Operated Locking Hold Down
- Hardened and Ground Fingers

 3495^{00}

#WFBP5014

TOP OF THE LINE!

#WFBP5014-R

BOTH TOP AND BOTTOM FINGERS ARE REMOVABLE FOR CUSTOM **BENDS**



Shipping weight 800 pounds





HYDRAULIC CORNER NOTCHERS

- Blades 85/8" x 85/8"
- Notch up to 4mm Mild Steel (.157")
- Notch up to 3mm Stainless Steel (.118")
- Up to 50 Strokes Per Minute
- 12 Tons of Power
- Table Top 25" x 25"
- Includes Adjustable Table Stops, Foot Control
- 220 Volt Single Phase Electric

#WFCN4

Mild Steel Capacity 4mm (.157") Stainless Capacity 3mm (.188")

#WFCN6


Mild Steel Capacity 6mm (.236") Stainless Capacity 4mm (.157")

SHEET METAL CORNER NOTCHER

- 1/8" Capacity Mild Steel
- 4" x 4" Blades
- With Multiple Hits Any Sized Notches Can be Made
- Adjustable Work Stops
- Adjustable Gibs for Wear
- High Quality High Speed Steel Blades
- Weight 250 lbs.

#WFCN125

154900





SQUARE CORNER **NOTCHER**

- Foot Operated
- 16 Gauge (1/16") Capacity Mild Steel
- 3" x 3" Blades
- Adjustable Work Stops
- Adjustable Blade Gap
- Any Sized Notch Can be Made with Multiple Hits

#WFSN

PNEUMATIC CORNER NOTCHER



- 11 Gauge (.118") Capacity Mild Steel/16 Gauge (.062") Stainless Steel
- Blade Size 5"
- Table Size 231/2" x 18"
- Air Requirement: 115 PSI @ 4.4 CFM
- Height 491/2"
- Weight 485 lbs.

CORNER NOTCHER

- 16 Gauge Capacity Mild Steel
- 6" x 6" Blades
- Adjustable Work Stops
- Adjustable Blade Gap
- **High Chrome Blades**
- Adjustable Gibs for Long Life
- Heavy Cast Iron Frame
- Weight 200 lbs.



800.391.5419

www.woodwardfab.com



SLIP ROLL

- Solid Precision Ground Rollers not Tubing
- Heavy Cast Iron Frame
- Quick Release Top Roll
- Hardened Steel Gears
- Easy To Use
- Each Machine also Features Wire Grooves for Wire Rolling

#WF24 STAND 24" Stand	\$169 ⁹⁹
#WFSR40-S 40" Slip Roll Stand	
#WFSR50-S 50" Slip Roll Stand	\$369 ⁹⁹

24" Length 20 Ga Capacity 11/2" Diameter Rolls

#WFSR40

549⁹⁹ #WFSR24

50" Length 16 Ga Capacity 3" Diameter Rolls

1999⁹⁹



• 11/4" Diameter Hardened Rolls

• 1/16", 1/8", 3/16" Wire Grooves

12 INCH SLIP ROLL

41¹/₂" Length 20 Ga Capacity 2" Diameter Rolls

- Super Slim 1" Diameter Solid Steel Rolls for Rolling Extra Small Radii
- 20 Gauge Capacity
- Includes 1/16", 1/8", and 3/16" Wire Grooves for Rolling Wire Also



12" Length
20 Ga Capacity
\$77099

for Rolling Wire Also



POWER SLIP ROLL

- 51" Length Rolls
- Roll Diameter 3"
- Maximum Capacity 16 Gauge
- 2 HP, 220 Volt Single Phase
- Weight 800 Pounds

\$4589⁰⁰



Elite **SLIP ROLLS**



#WFSRELITE24 Length 24" Weight 475 lbs.

- Capacity 16 Gauge (1/16") Mild Steel, 20 Gauge Stainless Steel
- Hardened and Ground Rolls
- 23/8" Diameter Drive Rolls
- 21/2" Rear Adjustable Roll

#WFSRELITE41 Length 41" - 550 lbs.

#WFSRELITE50

Length 501/2" - 565 lbs.

With the Elite roll you can select from 2 different

speeds. We have added another spindle to the gear box so by changing the crank handle position, you can either roll thin material or select gear ratio for rolling thicker material with ease.

- Uses a Single Front Mounted Hand Wheel for Adjusting the Rear Roll for Varying Radii
- Also Uses a Single Hand Wheel to Adjust the Bottom Wheel for Material **Thickness**
- With a Single Handle, the Upper Roll Will Lift to Remove Work Pieces
- With a Simple Adjustment, you can also Roll Tapers up 15 Degrees
- Longitudinal Groove the Length of the Top Front Roll for More Aggressive
- Fully Enclosed Gear Box, Cast Iron End Plates
- Wire Grooves for Rolling Wire 1/16", 1/8", 3/16", 1/4"
- Floor Stand Included

Billy Lane Master Fabricator and Motorcycle Creator





MULTI PRESS

SUPER HEAVY DUTY

- Features 2" Diameter Ram
- Constructed from 1/2"
 Thick Plate
- Creates up to 3 Tons of Force
- Throat Depth 12"
- Throat Height 71/2"
- Maximum Opening 4¹/₂"
- Table 4" x 7"
- Handle 30"
- Size 21" Deep x 19" High x 5" Wide
- Weight 165 Pounds

\$729⁹⁹



#WFP12-L Louver Tool 3/16" x 2³/₄"

• Cuts up to .040 Mild Steel or 1/16" Aluminum

\$**495**99



#WFP12-N Corner Notcher 13/4" x 13/4"

Notch up to 1/16"
 Steel

\$24999



#WFP12-B Bending Brake Die 4" Length

• Bend up to 3/16" Steel

\$249⁹⁹



#WFP12-S Shear Die 43/8" Length

• Cuts up to 1/16" Steel

\$74999



PROFESSIONAL HYDRAULIC SHOP PRESS

ALL THE FEATURES YOU LOOK FOR IN AN INDUSTRIAL PRESS

- Convenient Hand Pump
- Heavy Duty Ram
- Easy to Read Pressure Gauge
- Thick Bed
- Wide Frame
- Press Plates Included

10 Tons 41" Height 7" Stroke 14'/₂" Inside Frame 120 Lbs. Weight

\$549⁹⁹

#PR102

12 Tons 61" Height 7" Stroke 181/2" Inside Frame 165 Lbs. Weight

\$**599**⁹⁹

#PR103



20 Tons 69" Height 7½" Stroke 19½" Inside Frame 220 Lbs. Weight

^{\$}799⁹⁹

#PR104



#WFPB12

Great
Buys
for Tool
Guys!





SHOP PRESS BENDING BRAKE

- Bend up to 14 Gauge Mild Steel or 1/8" Aluminum with Precision
- 12" Length
- Bottom Die Width 23/8"
- Finger Length 2¹/₄"
- Attaches to any 2" Diameter Ram Shop Press or Create an Adapter or Use a 2" Diameter Pressure Plug

\$319⁹⁹



#WFEHP10

ELECTRIC HYDRAULIC PRESS

- 10 Ton Capacity
- 25" Throat
- Hand Toggle Up and Down Control
- Use for Louvering, Pressing and Forming
- 110 Volt Electric
- Height 48"
- Weight 795 lbs.

\$4199°°



#WFP16

HYDRAULIC C-FRAME PRESS

- 16 Ton Manual
- Throat Depth to Center of Ram 8.5"
- Throat Height 15³/₄"
- Overall Machine Height 70"
- Bed Width 9"
- Ram Diameter 2¹/₈"
- Stroke Length 8"
- Distance Under Ram 10¹/₂"

\$4795⁰⁰



- 25 Ton
- Throat Depth to Center of Ram 8.5"
- Throat Height 15³/₄"
- Overall Machine Height 70"
- Bed Width 9"
- Ram Diameter 21/2"
- Stroke Length 8"
- Ram Speed up to 49" per Minute
- Power Hydraulic, 110 Volt Electric

\$6895°°



800.391.5419 · www.woodwardfab.com



TUBING ROLLER

Chain Drive Bottom Rolls

Adjustable Height Stand Includes 1", 11/2" and 2"

Round Tube Dies

• Works up to .090" Wall Thickness Mild Steel or 1/8" Aluminum

Diameter = 30" Radius

• Weight 200 Pounds



WFTR5 ROUND OD TUBE		
WFTR5 .50	1/2"	¢220.00
	·/ -	\$229.00
	3/4"	\$259.00
WFTR5 1.00	1"	\$259.00
	1-	
WFTR5 1.25	1/4"	\$259.00
	1-	
WFTR5 1.50	1/2"	\$259.00
	1-	
WFTR5 1.625	5/8"	\$279.00
	1-	
WFTR5 1.75	3/4"	\$279.00
WFTR5 2.00	2"	\$289.00
WFTR5 SQUARE TUBE DIE	S	
WFTR5 .50 SQ	1/2"	\$259.00
WFTR5 .75 SQ	3/4"	\$259.00
WFTR5 1.00 SQ	1"	\$259.00
	1-	
WFTR5 1.25 SQ	1/4"	\$259.00
	1-	
WFTR5 1.50 SQ	1/2"	\$259.00
	1-	
WFTR5 1.75 SQ	3/4"	\$279.00
WFTR5 2.00 SQ	2"	\$289.00



#V

ROLLING **MACHINE**

- Roll up to 11/2" Tubing as Small as 20" Diameter
- Includes 11/2" Tube Die
- Works up to .080" Wall **Round Tube**



VFTR45 DIES	
VFTR45 DIES	

WFTR45 RO	UND OD TUE	E DIES	
WFTR45 .5	0	1/2"	\$195.00
WFTR45 .7	50	3/4"	\$259.00
WFTR45 1.	00	1"	\$259.00
		1-	
WFTR45 1.	25	1/4"	\$259.00
		1-	
WFTR45 1.	50	1/2"	\$259.00
		1-	
WFTR45 1.	625	5/8"	\$279.00
		1-	
WFTR45 1.	75	3/4"	\$279.00
WFTR45 2.	00	2"	\$279.00
WFTR45 SQL	JARE TUBE D	IES	
WFTR45 .5	0 SQ	1/2"	\$259.00
WFTR45 .7	5 SQ	3/4"	\$259.00
WFTR45 1.	00 SQ	1"	\$259.00
		1-	
WFTR45 1.	25 SQ	1/4"	\$259.00
		1-	
WFTR45 1.	50 SQ	1/2"	\$259.00
		1-	
WFTR45 1.	75 SQ	3/4"	\$279.00
WFTR45 2.	00 SQ	2"	\$289.00



FLAT BAR

- Roll up to 1/4" x 13/4" Flat Bar Solids
- Roll up to $1^{1}/_{2}$ " x 11/2" x 1/16" Square Tube
- Adjustable Square Tube Die 1/4" to 11/2"

POWER RING ROLLING MACHINES

- Horizontal or Vertical Operation
- 30mm Spindles
- Speed 9 rpm
- 11/2 HP, 220 Volt Single Phase
- Includes Dies for Rolling Flat Solids
- Rolls up to 2" x .078" Wall Round Tube. 3/4" Solid Square, 1/2" x 3" Flat Bar, 3/16" x 11/2 Angle Iron With Correct Dies
- Weight 650 Pounds



\$**4395**00

#WFRP30

ADDITIONAL TOOLING AVAILABLE						
Max size	Min diameter					
15mm	24"	#WFPR154 \$540.00				
20mm r	ound					
25mm						
30mm						
1 ¹ / ₂ " x 1 ¹ / ₂ " x 3/16"	16"angle out	#WFPR155 \$580.00				
1 ¹ / ₂ " x 1 ¹ / ₂ " x 3/16"	16"angle in	#WFPR156\$ 580.00				
35mm, 40mm,45mm,						
50mm, 55mm, 60mm		#WFPR1511 \$1490.00				





POWER RING ROLLING MACHINES

- 40mm Spindles
- Speed 9 rpm
- Includes Universal Die Set
- 2 HP 220V 3 Phase
- Rolls up to 2³/₄" Round Tube, 1¹/₈" Solid Square, ³/₄" x 2³/₈" Flat Bars With Correct Dies
- Weight 1050 Pounds

\$6895⁰⁰

#WFRM40

- 50mm Spindles
- Speed 13 rpm
- Includes Universal Die Set
- 3 HP 220V 3 Phase
- Rolls up to 2³/₄" Round Tube, 1³/₈" Solid Square, ¹⁵/₁₆" x 3" Flat Bars With Correct Dies
- Weight 1325 Pounds

\$7395°°

#WFRM50

#WFRM50

PIPE/TUBE BENDING KIT

AS SEEN ON TRUCKS! TV

Make Smooth Kink Free Bends Easy

- Rugged Cast Iron Construction
- Threaded Adjustment
- Extension Handle
- Mount to a Bench Top or Clamp in a Vise
- Kit Includes Storage Case,
 Cast Iron Base, Handle Cast Iron
 Dies 3/8", 1/2", 5/8", 9/16",
 3/4", 7/8" for Rounds and
 3/4", 1" for Square Tube



\$**389**⁹⁹







BEST SELLER!

MANUAL TUBE AND PIPE BENDER

- Bends up to 2" Diameter Tubing
- CNC Machined Components
- 36" Height
- Includes 36" Handle and Degree Ring

\$419⁹⁹



Rick Dore Custom coach builder Giving it the "eye"

HYDRAULIC PIPE AND TUBE BENDER


- Bends up to 2 Inch Diameter
- Degree Ring
 Casters
- 110 Volt, 300 Pounds
- Uses Same Dies as Manual Machine

\$3599⁰⁰

#WFPB1000



Sam Memmolo "Motor Head Garage"



NEW **POWER BENDERS** from Woodward Fab!

AIR/HYDRAULIC POWER TUBE BENDER

- Large stable floor stand with casters and die storage
- Uses same WFB2 dies up to 2" diameter (Go to page 19 for die information and pricing)
- Requires 80 psi CFM shop air

\$1995⁰⁰ #WFB2-AHP





- Fast, effortless bends at the touch of a foot pedal
- Large, stable floor stand with casters and die storage
- Uses same WFB2 dies up to 2" diameter (Go to page 19 for die information and pricing)
- 110 Volt Electric


#WFB2-EHP






LARGE ASSORTMENT OF DIES AVAILABLE **FOR THESE MACHINES!**

Please go to Page 21 for information and pricing




120 Degree Ben	ding Dies	- Round	Tube		
ITEM	O.D.	CLR	MIN WALL	MAX WALL	PRICE
WFBDT3/4X3	3/4"	3"	0.058"	0.134"	\$246.99
WFBDT7/8X3	7/8"	3″	0.058"	0.134"	\$248.99
WFBDT1X3	1"	3″	0.065"	0.134"	\$269.99
WFBDT11/8X3	1 1/8″	3"	0.095"	0.134"	\$269.99
WFBDT11/4X4	1 ¹ /4"	4"	0.065"	0.134"	\$309.99
WFBDT11/2X5	1 1/2"	5"	0.083"	0.134"	\$319.99
WFBDT15/8X5	1 ⁵ /8"	5"	0.095"	0.134"	\$342.99
WFBDT13/4X6	13/4"	6"	0.083"	0.134"	\$389.99
WFBDT2X6	2"	6″	0.120"	0.134"	\$419.99

*TUBE MEASURED ON THE OUTSIDE (O.D.)



180 Degree Bending Dies - Round Tube						
ITEM	O.D.	CLR	MIN WALL	MAX WALL	PRICE	
WFBDT3/4X3-180	3/4"	3"	0.058"	0.134"	\$289.99	
WFBDT1X3-180	1"	3"	0.065"	0.134"	\$339.99	
WFBDT11/4X4-180	1 1/4"	4"	0.065"	0.134"	\$379.99	
WFBDT11/2X5-180	1 ¹ /2"	5"	0.083"	0.134"	\$389.99	
WFBDT15/8X5-180	1 5/8″	5"	0.095"	0.134"	\$399.99	
WFBDT13/4X6-180	1³/4"	6"	0.083"	0.134"	\$489.99	
WFBDT2X6-180	2"	6"	0.120"	0.134"	\$569.99	



120 Degree Bending Dies - Square Tube						
ITEM	O.D.	CLR	MIN WALL	MAX WALL	PRICE	
WFBDS1/2X3	1/2"	3"	0.065"	0.085"	\$249.99	
WFBDS3/4X4	34"	4"	0.065"	0.085"	\$329.99	
WFBDS1X4	1"	4"	0.065"	0.085"	\$329.99	
WFBDS1X6	1"	6"	0.065"	0.085"	\$399.99	
WFBDS11/4X5	1¹/4"	4"	0.065"	0.085"	\$349.99	
WFBDS11/2X6	1 1/2"	4"	0.065"	0.085"	\$409.99	

*PIPE MEASURED ON THE INSIDE (I.D.)

180 Degree Schedule 40 Pipe Dies						
O.D.	PIPE SIZE	CLR	NOMINAL WALL	PRICE		
.840"	1/2"	4"	.109"	\$389.99		
1.050"	3/4"	4"	.113″	\$399.99		
1.315"	1"	4"	.133"	\$399.99		
1.660"	11/4"	5″	.140"	\$489.99		
1.900"	1 ¹ /2"	6″	.145"	\$579.00		
	O.D. .840" 1.050" 1.315" 1.660"	O.D. PIPE SIZE .840" 1/2" 1.050" 3/4" 1.315" 1" 1.660" 11/4"	O.D. PIPE SIZE CLR .840" 1/2" 4" 1.050" 3/4" 4" 1.315" 1" 4" 1.660" 11/4" 5"	O.D. PIPE SIZE CLR NOMINAL WALL .840" 1/2" 4" .109" 1.050" 3/4" 4" .113" 1.315" 1" 4" .133" 1.660" 11/4" 5" .140"		



THIS IS THE FASTEST AND EASIEST WAY TO **MAKE ANGLED NOTCHES!**

PIPE NOTCHER

- 4" Belt Notcher
- Quick Notching of Pipe/Tube from 1/2" to 21/2"
- Adjustable Angle 30 -90 degrees
- **Uses Standard Size Belts**
- Top Platen for Flat Work
- 4 HP 220 Volt Single Phase
- Centering Vise

Extra Contact Wheels at \$115.00 ea.





TUBE/PIPE NOTCHER

- · Use with any Drill Motor Hand Held or Drill Press
- Create any Angle Saddle Notch on Pipe for Weld Fit-Up
- Uses Standard Hole Saw Blades up to 2¹/₂"
- Compound Angle Adjustment up to 60°
- **Chrome Plated Frame**
- Easy to Read Angle Scales
- Long Life Bronze Bearing

Holds up to 2" Pipe \$11999
#SPPIPE





PIPE/TUBE NOTCHER

- Solid Steel Construction
- Works 3/4" to 3" Tubing (o.d.)
- Use with Any 1/2" Hand Drill
- Accepts Standard Hole Saw Cutters
- Hardened and Ground Spindle
- Superior Needle Bearing Support
- Adjustable Angle to 50 Degrees with Engraved Scale

#WFN6

Mount to Bench Top or Clamp in a Bench Vise





www.woodwardfab.com



- Make Perfect Fit 90° Notches
- Easy, One-Pull on the Handle will Produce Accurate Saddle Notches for Weld Fit-Up
- Notch up to Schedule 40 Pipe
- Portable and Easy to Mount to any Surface or Bench Vise
- No Set-Up Needed, Simply Insert Pipe Into Correct Die Size Hole and Pull Down on the Handle

WFN1
1/4", 3/8", 1/2" Pipe
1/4", 3/8", 1/2" Pipe \$349 ⁹⁹ 3/8", 1/2", 3/4" Tube
WFN2

3/4", 1", 1¹/₄" Pipe 1", 1³/₈", 1⁵/₈" Tube

WFN3

1¹/2″, 2″ Pipe 2″, 2³/8″ Tube

\$**629**⁹⁹

NOW AVAILABLE!

PRESS STYLE NOTCHER

WFN1H
1/4", 3/8", 1/2" Pipe
3/8", 1/2", 3/4" Tube
WFN2H
3/4", 1", 1½' Pipe
1", 1¾", 1½" Tube
WFN3H
1½", 2" Pipe
2", 2¾" Tube

\$68999

Our popular 90° Notchers are now available in a press style. Use in any 10 Ton Shop Press, Arbor Press, Iron Work or Air/Hydraulic Press Brake

- Fast and effortless notching and low maintenance
- Spring Return
- Easily create a 90° notch in the end of tube or pipe. Punch will lower and create 1/2 of the notch. Rotate tube and repeat to complete the notch.
- Ideal for fences, gates and tubular fabrication.
- Can cut up to Schedule 40 wall thickness in Steel and Aluminum, up to 14 gauge stainless tube.
- No Set Up Required
- PATENT PENDING

PIPE/TUBE POWER NOTCHER

- All the Sizes in One Machine
- Notches 1/4", 3/8", 1/2", 3/4", 1", 1¹/4", 1¹/2" and 2" Schedule 40 Pipe
- · Gear Drive
- 38 Strokes per minute
- Ideal for High Production 90 Degree Notching
- Weight 215 lbs.
- Photo Shows Machine with Required Guard

#WFBG3

220 Volt Single Phase



Includes Handle & Wall Mount Hardware

VENT NOTCHER

- Quickly Makes Vent/Weep Notches in Metal Tubes
- Use When Painting or Galvanizing
- Notch 1" and Larger Tube with up to 5/32" Wall

\$599⁹⁹ #WFN

3" BELT SANDER

For Fast Grinding and Sanding

- Surface belt speed is a whopping 7000 feet per minute
- Adjustable angle stand
- Top platen for flat work and small parts
- Adjustable work rest with eye shield
- Rubber front contact wheel for fastest stock removal
- 3 HP 220 Volt Single Phase
- Uses Standard 3" x 783/4" belts

\$1399⁹⁹





MANUAL PUNCH




- 61/4" Throat Depth
- Punch up to 3/16" Thick
- Gear Drive Cam = Less Effort Needed
- Weight 200 lbs.
- Includes a Complete Set of Punches:

1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16",

MANUAL IRON WORKER

Handle is 6' Long, Allow for Ceiling Height if Bench Mounted

"One of the handiest the shop"



We Know What We Sell Call Us!



- 11/2 HP, 110 Volt
- Standard Belt Size 3" x 78"
- Urethane Contact Wheel
- 3-Inch Wide Belt
- Exhaust Duct Connection
- Handy Cam Action Belt Tensioner
- Adjustable Work Support
- Belt Speed 85 Feet Per Second

- Adjustable Hold Downs
- Cast Iron Frame
- Gear Drive Cam
- · Weight 250 lbs.
- Throatless Shear Cuts up to 5/16" Plate
- Shears up to 3/4" Rods, Round and Square
- Shears Angle Iron up to 2¹/₄" x 3/16"
- Shears T Iron up to 21/4"
- 4" Long High Chrome Shear Blades



2-INCH BELT **GRINDER**

- 1 HP, 110 Volt
- Standard Belt Size 2" x 78"
- Urethane Contact Wheel for Better Cooling and Longer Belt Life
- 2-Inch Wide Belt
- Exhaust Duct Connection
- Handy Cam Action Belt Tensioner
- Belt Speed 72 Feet Per Second

#WFVG2



800.391.5419

www.woodwardfab.com

BENCH TOP BEVEL-MILL®

- Precision Finish Chamfers
- Deburr Chamfer Edges Easily
- Adjustable Angle 15° to 45°
- Uses Standard Carbide Inserts
- Use on any Steel or Aluminum
- Simple to Operate
- Corner Rounding with Radius

\$**1895**⁹⁹



PALMGREN

DEBURRING CHAMFERING

Palmgren's line-up of edge finishing machines effectively deburr, chamfer and bevels edges on flat and square metal and plastics.

- Makes Short Work Deburring Projects. The "Go-To" Machine for Edge Finishing
- Bevel Angle 45 Degrees
- Minimum Material Thickness 1/8"
- Maximum Bevel Depth up to 1/8"
- 3/4 Horsepower, 110 Volt



\$**775**00

DEBURRING CHAMFERING

This tool Utilizes a Standard Cup Style Grinding Wheel for Deburring-Chamfering the Edges of any Ferrous Meterial Including Heat Hardened Edges. Complete Parts Appear to Have Been Precision Finished on a Surface Grinder.

- Bevel Angle 45 Degrees
- Minimum Material Thickness 1/8"
- Maximum Bevel Depth up to 1/8"
- 1/3 Horsepower, 110 Volt





TURBO-BURR®

- Fast One Pass Safety Edging of Sheet Metal Parts at 10 Feet per Minute
- No More Scraping Sharp Edges
- Uses Standard 1/4" Shank Carbide **Burr to Produce Consistent** Chamfers
- Spindle Speed 55,000 rpm
- Air Requirement: 4-6 CFM @80-110 Pounds Pressure (1hp Compressor)
- Maximum Depth of Cut 1/16"
- Includes Cutter, Wrenches and Instructions

★USA★

As Seen on Trucks, TV!





Heck

TRACE-A- PUNCH® NIBBLERS

- Cuts Any Shape Metal or Plastic
- Follows an Original Part or Template to Make Part After Part
- Distortion and Burr Free Cutting at 40" Per Minute
- Heavy Fine Grain Cast Meehanite Frame
- All Components Hardened and Ground
- Machines Include 1 Punch and Die, Work Light, Material Clamps, Nibble Lube and Instructions

Model 3C

- 1/8" Maximum Thickness Steel
- 63/4" Throat Depth
- 11/2 HP, 110 Volt
- Weight 150 lbs.

\$2995⁰⁰

Model 4

- 3/16" Maximum Thickness Steel
- 16" Throat Depth
- 3 HP, 220/440 Volt
 3 Phase
- Weight 500 lbs.

\$5595⁰⁰



Sales Manager John Jones and President Phil Heck c. 1976

\$\$\$ Save Big if you "Bundle" a few items together. Call us to help select a metal fab package.



WELD SHAVER

#WS625

\$2095⁰⁰

- Machine Weld Beads Flush to Work Piece
- Fast Cutting at 6' per Minute
- Adjustable Depth of Cut
- Uses Milling Cutter with Carbide Inserts
- Eliminate Grinding and Mistakes
- Width of Cut 1/2" in a Single Pass



WELD SHAVER

Woodward-Fab, Heck Exclusive Patented

★USA★

- Removes Both Flat "Butt" Joint Welds and Inside 90 Degree Corner "Fillet" Welds
- Uses Carbide Inserts in a Milling Cutter
- Visit Our Website to See The Video

#WS90

\$1195⁰⁰



SHAPE BEVELER

- 3/16" Bevel Depth Capacity
- Weight 5 pounds
- 3 1/2 Shoe Diameter
- Create 45 Degree Bevels or Corner Rounding Radii

S100-410

Replacement 45 Degree Insert - 10 pack - \$119⁵⁰

S100-R

Cutter Head use with Radius inserts - \$11250

S100-R-078

.078" Radius Insert - 10 pack - \$119⁵⁰

S100-R-118

.118" Radius Insert - 10 pack - \$119⁵⁰



SHAPE BEVELER

- 110 Volt, 1100 Watt
- Variable Speed with Soft Start 3000-6000 RPM
- Adjustable Depth of Cut up to 3/16"
- Uses Three Standard Square Carbide indexable Inserts (Radius Cutting Inserts Optionally Available)
- Quick Tool-Free Depth Adjustment
- Comes with Standard 45° Tool Holder (30° Tool Holder Optionally Available)
- Minimum Inside Hole Beveling 1³/₁₆"

Weight 10 lbs.

Model S-190E

\$**895**00



SHAPE BEVELER

- Weights only 14-1/2 Ounces
- Will Produce up to an 1/8" 45 Degree Bevel
- Variable Speed up to 12,000 rpm
- Use 2 Carbide Insert Cutters
- Tough Aluminum Housing which Replaces the Previous Fiber/Plastic Style
- Create 45 Degree Bevels or Corner Rounding Radii

S-PALM.620-410

Replacement Carbide Insert Cutter - 10 pack - \$89⁵⁰

S-PALM.620-NF

Insert for Aluminum - 10 pack - \$109⁵⁰

S-PALM.620-R

1/16" Radius Insert - 10 pack - \$9950





Shape Bevelers are ideal for light beveling and deburring. The perfect tool to clean up "Burn-Out" holes, machined slots and chamfer contoured edges.

SHAPE BEVELER

- 110 Volt, 1800 Watt, 2 Horsepower
- Variable Speed 2300-6500 RPM
- Adjustable Depth of Cut up to 1/4"
- Uses Five Carbide Inserts
- Minimum Material Thickness 3/16"

Minimum Inside Hole Beveling 11/4"

• Weight 14 lbs.

Model S-250E

§1395⁰⁰






BEVEL-MILL®

A MORE EFFECTIVE METHOD OF BEVELING ELIMINATES SLOW GRINDING

- No Fumes, Heat or Smoke
- Variable Angle 15° to 45°
- Adjustable Depth of Cut
- Ideal for Weld Preparation
- Works Plate and structural Steel as Thin as 3/16" for Clean Burr Free Edges
- Special Designed Baldor 110 Volt Motors
- Uses Standard Square Indexable Carbide Inserts
 - Includes Carbide Cutters, Pipe Beveling Attachments, Lube Sample and Instructions



Self
 Supporting on the Workplace

#9000 #8000

 Part
 Description
 Price


 7000
 3/8" Maximum Bevel Depth, 1/2 HP
 \$189500

 8000
 5/8" Maximum Bevel Depth, 1 HP
 \$249500

 9000
 7/8" Maximum Bevel Depth 1½ HP
 \$299500



Using standard V-block roller guides, rounds and pipe can be worked 6" (2.7mm) or larger.



Milling type cutter uses 1/2" square carbide inserts.

Radius cutters available for edge rounding – perfect for cleaning up box corner welds or to prevent paint chipping on structural steel.



BEVEL-MILL®

WORLD LEADER IN EDGE CONDITIONING

- These Models Feature Lightweight Motors with Adjustable Handle Positions for Those Projects Where the Operator Needs to Control the Weight of the Tool, Even Vertically
- Double Insulated Motors
- Variable Angle 15° to 45°
- Adjustable Depth of Cut
- Ideal for Weld Preparation, Chamfering and Deburring
- Works Plate and Structural Steel as Thin as 3/16" for Clean Burr Free Edges
- Uses Standard Square Indexable Carbide Inserts
- Includes Carbide Cutters, Pipe Beveling Attachments, Lube Sample and Instructions









Part	Description	Price
3000	3/16" Maximum Bevel Depth, Air	\$2895 ⁰⁰
4000	3/4" Maximum Bevel Depth	\$2295 ⁰⁰
5000	5/16" Maximum Bevel Depth	\$1795 ⁰⁰









PLASMA•PAL®

HOLE AND CIRCLE CUTTER

- Make accurate bevels and cuts without guessing
- Adjustable Angle
- Adjustable Height
- Ball Bearing Roller for easy, smooth movement
- Heavy Duty Stainless Steel front fence
- Can also be guided off the rear frame.
- Footprint: 5-1/2" x 9-1/4"
- Weight 4.5 Pounds
- Made in the USA
- Patent Pending

\$389⁹⁹

PB200





TRACK TORCH

- Cut up to 2" Thick Plate
- Cut Straight and up to 45 Degree Bevels
- Cuts up to 30" Per Minute
- Solid State Variable Speed Control Allows Cutting at Precise Speeds for High Quality Cutting
- Includes Torch, Torch Tips, Hoses,
 6' Track, Instructions
- 110 Volt
- Weight 27 Pounds

\$859⁰⁰

#HK-12

#HK-12-1 *75⁰⁰





90° CAST IRON WELDING CLAMPS

- Rear Jaw Swivels & is Self Centering for Holding Different Size Pieces
- Slotted Holes for Bench Mounting Copper Plated Acme Screw
- Machined Surfaces "Better than the competition that sells for 3 times our price"

Part	Maximum Opening	Weight	Price
C-2.3	23/8"	12 lbs	\$ 94 99
C-40	4"	28 lbs	\$129 ⁹⁹

H<u>e</u>ck

VARIABLE ANGLE CLAMP

- Ratcheting Angle Adjustment with Detents every 15 Degrees
 Patented Design
- Holds Rounds or Flats
- Super Lightweight from Billet Aluminum
- Precision Machined Anodized Finish

Part	Maximum Opening	Weight	Price
C1-100	7/8"	11/4 lbs	
C2-200	2"	41/4 lbs	\$189 ⁹⁹



MAGNETIC WELD POSITIONING CLAMP

- Easy On/Off Switch No Power or Batteries Required
- 4³/₄" Edges
- Holds Parts at Crazy Angles for Welding

\$**19**⁹⁹



HIGH IMPACT NYLON **BOSSING MALLET**

- Hard as a Baseball Bat
- 131/2" Hickory Handle
- 18-oz. Weight
- 3" Diameter

#WFBOSSMAL



WOOD SHAPING **BOSSING MALLET**

- For the "Old School" Classic Metal Worker
- 133/4" Overall Length
- 12-oz. Weight
- 3" Diameter
- Hickory Handle & Head #WFWBOS



DOLLY DOME

PROFESSIONAL SHOT BAG STAND

- 34" High
- 19" Diameter Shot Bag (sold separately)
- Heavy Duty, Perfect for the Professional Heavy Welded Steel Top Plate
- Hammer Storage Rack
- Weight 57 lbs.

#WFSBS18

T-DOLLY STAND

- Accepts Any Sized Dollies with a Shank Size up to $1^{3}/_{4}$ " x $2^{1}/_{2}$ "
- Use for Forming Metals Using Hammers and Slappers
- Features Nice Tool and Mallet Holders Forming Head Shown on Top is Sold Separately

#WFDOLLYSTAND



Clamp in bench vise or use dolly stand



6" Diameter

- Solid Polished Steel
- **Holding Shank**

Size 11/2" x 11/2"

513999 #WFDOLLYBOWL

TANK SHAPED FORMING HEAD

BOWL SHAPED FORMING HEAD

- 6" x 11" Diameter
- High Polished Alloy
- **Holding Shank** Size 1" x 21/2"

\$**239**⁹⁹

#WFDOLLYTANK



LEATHER SHOT BAGS

- Long lasting extra heavy top grain leather shot bag .070" - .090" thick
- 2" riser for durability and stability
- Simple and secure double velcro closure
- Heavy Stitching
- Fill with #8 or #9 lead bird shot for the very best results or silica sand (play sand) **FILL NOT INCLUDED**

WFSB6G 6" SHOT BAG **\$24**⁹⁵ \$**45**⁹⁵ #WFSB12G 12" SHOT BAG \$65⁹⁵ #WFSB18G 18" SHOT BAG \$**86**⁹⁵ #WFSB18SQG 18" SQUARE SHOT BAG

We Know What We Sell! Call Us!



HAND OPERATED NIBBLER

- Handy Tool
- Cuts up to 20 Gauge Mild Steel, 18 Gauge Aluminum or 5/64" Plastics or Vinyl Flooring

.100 Nibble Width



2-PC T-DOLLY SET

- 1" Diameter x 31/2" Length
- 1¹/₄" Diameter x 4" Length Curved

\$46⁹⁹

#WFDOLLY2S

3-PC T-DOLLY SET

- 1" Diameter Gentle Curve x 8" Length
- 3/4" Crescent (1/2 Moon) x 8" Length
- 3/4" Slope x 9" Length

\$64⁹⁹

#WFDOLLY3S

HAMMER DOLLY KIT

- Includes Three 12-Oz. Hammers and Three Dollies
- 10" Fiberglass Handles with Cushioned Grips
- Plastic Storage Case

\$**89**⁹⁹

#WFHAMMERD





HARDWOOD LEATHER SLAPPERS




- Use with a Dolly for Metal Shaping
- 14" Length
- Features Extra Heavy Leather Face

#WFSL-F Flat Face 49

#WFSL-L Light Arc

#WFSL-HC High Arc \$499!



T-DOLLIES HARDENED AND POLISHED STEEL

#DOLLY .5	¹/2" x 2³/4"	\$27 ⁰⁰
#DOLLY .625	5/8" x 3"	
#DOLLY .78	⁷ /8" x 3 ³ /4"	
#DOLLY 1.0	1" x 4¹/₄"	
#DOLLY 1.18	1 ³ / ₁₆ " x 5 ¹ / ₂ "	
#DOLLY 1.5	1½" x 7"	
#DOLLY 2.	2" x 8"	\$6000

METAL FORMING MALLETS

#MFM17 2" x 4", 17-OZ. **25**

#MFM20 2¹/₄" x 10", 20-OZ. 39

#MFM52 4" x 8", 52-OZ. \$59⁹⁹

#MFM3SET Set of 3 Mallets 1109

BOSSING MALLETS

#WFBM9 2" DIA. FACE 9-OZ. **26**

#WFBM23 21/2" DIA. FACE 23-OZ 39

#WFBM32 2³/₄" DIA. FACE 32-OZ **49**⁹⁹

#WFBM3SET SET OF 3 MALLETS 9999



FINGER DOLLY

For small areas and trim work. 11-oz.

⁵17⁹⁵

#DOLLY FINGER

5-PC. DOLLY SET

- · Hardened and Ground
- Set Includes Sizes 1/2" to 1³/₁₆

\$174⁹⁹



CURVED T-DOLLIES

#WFDOLLYC1 1" x 8" \$28.99 #WFDOLLYC.55 3/4" x 6" \$23.99 \$23.99

TAPERED T-DOLLIES

AMEDOLINETAL STATE OF THE STATE

#WFDOLLYTT11 2" x 12"

\$65.99

#WFDOLLYT8 1.5" x 8" #WFDOLLYT5.7 1" x 5.7"

PORTABLE SHRINKER/ STRETCHER

#WFSS10P

- Lightweight Aluminum Frame
- Works up to 18 gauge Mild Steel and 1/16" Aluminum
- Includes Both Shrinking and Stretching Jaws
- Weight 6 Lbs.
- Length 22"

^{\$}799⁹⁹



- 31/2" Throat
- 18 Gauge Mild Steel or 16 Gauge Aluminum
- Foot Operated Floor Stand Constructed from 2½" x 5" Wall Tubing
- Adjustable Tensioner for Various Thickness Work Pieces
- Truck Freight Weight 95 Pounds

#WFSS-PRO

^{\$}759⁹⁹

SHRINKER STRETCHER SET WITH FOOT OPERATED STAND

- Includes both Shrinker and Stretcher Units
- Heavy Duty Floor Stand with Adjustable Pressure Rods and Spring Foot Pedal Return
- Works Mild Steel up to 18 Gauge and Aluminum up to 1/16".

\$**659**⁹⁹

#WFSSDF





We Know What We Sell! Call Us!

NEW PRODUCT!

HEAVY DUTY SHRINKER STRETCHER



- Our Thickest Capacity Machine
- Strong Jaws for Long Lasting Performance
- 8" Throat Depth
- Foot Operated
- Adjustable Tension and Die Gap with Top Hand Wheel
- Works up to 14 Gauge Mild Steel and 12 Gauge (1/8") Aluminum
- Heavy duty double reinforced fabricated steel frame
- Fabricated floor stand with large footprint for added stability
- Includes both hardened tool steel shrinking and stretching die sets
- Assembled Dimensions 56" Height, 36" Depth, 22" Width
- Working Height 42"
- Weight 200 pounds



#WFSS14

\$1495⁹⁹

DEEP THROAT SHRINKER/STRETCHER

- Works up to 18 Gauge Mild Steel and 16 Gauge Aluminum
- 8" Throat Depth
- Weight 45 Pounds

#WFSS10-DEEP



SHRINKER/STRETCHER SET

- Our Entry Level Kit Includes 2 Cast Iron Bodies, 2 Handles with Shrinking and Stretching Jaws
- 18 Gauge Capacity Mild Steel or 1/16" Aluminum

#WFSS101-2

SHRINKER/ **STRETCHER**

- Heavy Reinforced Cast Iron Frame
- 9" Throat Depth
- Works up to 18 Gauge Mild Steel
- Includes Foot Operated Stand with Adjustable Pressure
- 18 Gauge Mild Steel Capacity or 16 Gauge Aluminum

#WFSSCAST9







NEW PRODUCT!

EURO STYLE HEAVY DUTY SHRINKER STRETCHER




- Euro Design, both upper and lower jaws actuate by cam providing more clamping pressure
- Heavy Duty Construction
- Strong Enclosed Spring loaded Jaws for Long Lasting Performance
- 8" Throat Depth
- Foot Operated Stand with large footprint for increased stability
- Working Height 40"
- Works up to 16 Gauge Mild Steel and 14 Gauge Aluminum
- Round Shaped jaws made from CR12 tough abrasion resistant steel
- Includes both Shrinker and Stretcher
- Optional aluminum dies available separately

SHRINKER-STRETCHER

- Ideal for Creating Repair Panels for Wheel Openings, Windshields, etc.
- Produce Curves as Tight as 3" Radius
- Works Mild Steel up to 18 ga and Aluminum up to 16 ga
- Drilled Bottom for Bench Mounting or Clamp in a Bench Vise
- 1 Year Warranty





#WFSS10



TOP SELLER!



#WFSS10 FOOT Foot Operated Shrinker/Stretcher Stand

#WFFSS10DBL PLATE Plate Allows Use of 2 Bodies on Stand

WOODWARD-FAB "HOT ROD HAMMER

- 22" Throat Depth
- 1/8" Steel Capacity
- 1-1/2 HP with Variable Speed Frequency Inverter for Consistent Torque
- 110V
- 0-960 Strokes per Minute
- Includes Foot Stand with Tooling Holder
- Robust Easy to Adjust Straight Gauge Fence
- Industrial Foot Pedal with Emergency Stop
- Free Tooling Package Included \$1600 Value

\$4599⁰⁰







PLANISHING HAMMER


- A Well Constructed Machine
- Throat Depth 195/8"
- Uses Shop Air 50-100 PSI, 4 CFM
- Features Quick Adjust Anvil Height/Pressure
- Includes Floor Stand, 3 Anvils (1", 2", 3" Radius), Air Motor, Foot Pedal

\$389⁹⁹***

#WFPL2



Bubba from Bubba's East Coast Customs



Billy Lane Master Fabricator and Motorcycle Creator



PLANISHING HAMMER

- 26" Throat Depth
- Works up to 1/16" Mild Steel or 1/8" Aluminum
- Industrial Air Hammer at 4600 Hits Per Minute
- Quick Adjust Anvil Height
- Includes Floor Stand with Handy Retractable Wheels, In-Line Oiler, Pressure Regulator and Foot Control
- 110V Electric
- Uses Shop Air 50-100 Pounds

\$2599⁰⁰



800.391.5419

www.woodwardfab.com

ENGLISH WHEEL **ROLL, BEAD AND FORM**

- 43" Throat Depth
- 6" x 3" Top Wheel for Easy Rolling
- Cam Operated **Quick Release** Lower Anvil
- Hardened & Polished Wheels
- Smooth Ball Bearing Spindles
- · Wheels can be Adjusted to 90 Degrees
- Foot Operated Height Adjustment
- Constructed from Heavy 5" Box Tubing
- Includes 4 Top Wheels and 10 Lower Anvils
- Height 631/2"
- Weight 510 Pounds



#WFEW-45T





Gene Winfield Hot Rod Legend

ADRIAN CASADOS ENGLISH WHEEL





- 40" Throat Depth
- Work up to 1/16" mild steel
- 72" Overall height, 48" Working height
- Large 8" x 2-3/4" wide top wheel
- Heavy boxed frame construction
- Wide 2-3/4 " bottom anvils
- Micro adjustment of the lower anvil
- Quick release bottom anvil
- Smooth precision ball bearings
- Hands free foot operated height adjustment
- Includes 5 piece set of radius anvils and one flat anvil
- Weight 300 pounds







WFEW-2-BAND

- Rubber Band for 8" English Wheel
- Improves Tracking
- Protects Delicate Work Piece Finishes



ENGLISH WHEEL

• Throat Depth 28"

- Heavy Duty Construction
- 8" Top Wheel
- Quick Release Lower Anvil
- Features Precision Ball Bearings
- Includes Floor Stand, 5 Pieces Radius Anvils (23/8", 3", 5", 81/2", 12") and One Flat Wheel
- Height 60", Weight 190 Pounds



SUPER WHEEL

- Industrial 45" Throat Depth
- 8" Top Wheel for Easy Rolling
- **Foot Operated Tensioner**
- 8 Piece Precision Anvil Set with **Ball Bearings**
- 63" Overall Height
- Weight 725 Pounds

#WFEW-45-SUPER









NEW PRODUCT!

LIL WHEELIE

- 16" & 10" Throat Depth Sizes Available
- 6" x 1" Top Wheel
- Includes 7 Lower Anvils (6 Radius, 1 Flat)
- Rigid Double Wall 1/4" Solid Plate Construction
- Smooth up and down anvil adjustment with bronze linear bearing
- Small size idea for bench top use
- Small fabrications, trim, jewelry and hobbyists

#WFEW16

#WFEW10

NEW PRODUCT!

WOODWARD-FAB PROFESSIONAL ENGLISH WHEEL

- 31-3/4" of Throat Depth

- Work up to 1/16" Mild Steel
 68" Height, 45" Depth, 26" Width
 Large 7-3/4" X 2-3/4", High Polish Top Wheel with **Precision Bearings**
- Heavy Duty Fabricated Steel Frame
- Wide 2-3/4" Bottom Anvils
- Ouick Release Bottom Anvil
- Smooth Precision Ball Bearings
- Hands Free Foot Operated Height Adjustment
- Includes 7 Piece Set of Radius Anvils and One Flat Anvil
- Weight 600 Pounds

Super Duty!

#WFEW32









PROFESSIONAL ENGLISH WHEEL FORMING CENTER

- Throat Depth 33"
- Large 8" Top Wheel for Easy Rolling
- 8-Piece Anvil Set
- 31/2" Throat Shrinker/Stretcher
- 12" Leather Shot Bag on it's Own Work Station
- 6" Metal Doming Head in Removable Station
- 31/2" Urethane Locking Casters
- Weight 580 Pounds

\$4795⁰⁰

#WFEW-CENTER

Great Buys for Tool Guys!





ENGLISH WHEEL

- Rock Solid Cast Iron Frame
- Throat Depth 24"
- Large 7³/₄" x 2³/₄" Top Wheel
- Foot Operated Tensioner and Hand Wheel
- 6 Piece Hardened and Polished Anvil Package
- Floor Stand with Anvil Storage and Floor Levelers

\$1995⁰⁰

#WFEWC24

POWER SLITTER

- 16 Gauge Mild Steel Capacity
- Throat Dept 241/2"
- Large Table 24" x 30"
- 110 Volt, 2 Horsepower
- 31/4" Diameter Cutter
- Variable Speed
- Simple to Move Around the Shop with Provided Casters
- 38" Overall Height

\$4495⁰⁰

#WFPS16











FOOT SHEAR 52" Blade Length

- 16 Gauge Maximum Capacity
- Cast Iron Frame
- Front Arm Supports
- High Carbon Blade
- Quality Construction
- Adjustable Blade Gap
- Front Squaring Arm with Scale
- Back Gauge with Inch and Metric Scale
- Weight 1350 lbs. Compare!



Dennis Gage
My Classic Car Tv

#WFFS16



BEAD ROLLER

- Easy to Operate
- Includes 6 Sets of Dies;
 1/4", 3/8" and 1/2" beading dies, 1/16", 1/8"
 and 1/4" step dies
- Clamps in a Bench Vise
- 18" Deep Throat
- 18 Gauge Capacity



#WFBR6 FENCE Adjustable Guide Fence

^{\$}76⁹⁹





#WFBRSB18



#WFBR6



NEW! "SUPER BEAD" ROLLER

- 18" Throat Depth THICKEST Frame on the Market
- T-Handle Adjusts Tension Both Up and Down
- 18 Gauge Mild Steel Capacity
- OSHA Compliant Gear Cover Guard
- Comes with 6 Sets of Dies: Shearing Die, 2 Round Bead Dies 3/8" and 1/2", and 3 Step Dies 1/16", 1/8" and 1/4"
- Strengthens Metal
- Great for Floor Pans, Trunk Pans, and Firewall Applications

#WFBRSB18

#WFBRSB18-S

\$**289**⁹⁹

\$159⁹⁹

Call Us For More Information!


BEAD ROLLER MOTOR KIT

After months of design, we now have the most powerful add-on, industrial quality motor in the industry. This kit not only fits our machine, but some of our competitor's also.

- Extra Powerful 1/2 HP Motor. Unlike our competitor's motors, this one will not stall out on the larger and wider beading operations
- Industrial Metal Foot Pedal allows you to vary the spindle speed at the pedal, not by trying to reach around to adjust a control
- Forward and Reverse Switch
- Easy Bolt On to the Super Bead Roller or our Model WFBR6. This power unit can also be adapted to fit most 22mm shafted machines
 #WFBRM

\$469⁹⁹

Optional Dies fit #WFBR6 and #WFBRSB18		
#BR6 HEM	3/8" deep x 90 degree	\$59.00
#BR6 45	45 degree	\$59.00
#BR6 SPOILER	13/16" Radius Spoiler Roll	\$59.00
#BR6 TANK	15/32" Radius Tank Roll	\$59.00
#BR6 ART	Art Roll	\$59.00
#BR6 TIP	Tipping Die	\$59.00
#BR6 HEM Set	3 Piece Hemming Set Includes 90 degree, 120 degree and Flat Dies	\$164.00
#BR6 TUBE	Tube Beading Die for 1/2" Tube I.D. and Larger	\$89.00
#BR6 POLY	Polyurethane lower die (skate board wheel)	\$22.00
#BR6 LOUVER	3/16" deep x 5/8" wide	\$159.00






NEW PRODUCT!

WOODWARD-FAB ELECTRIC VARIABLE SPEED PROFESSIONAL BEAD ROLLERS

24" AND 42" THROAT





WFBR24F

WFBR42E

- Deep Throat Height 4"
- Industrial Foot Operated Speed Control with Forward/Reverse
- Variable Speed with Digital Readout
- Both Top and Bottom Shafts are Live and Rotate with the Gear Set
- 1/3 HP Powerful 110 V Gear Drive Motor
- 0-12 Feet Per Minute
- Includes Large Stable Floor Stand with Rollers For Ease of Movement
- Includes Heavy Duty Fence
- Easy To Adjust Top Mounted Crank Handle for Tension Adjustment
- Includes Die Rack
- Free 12 Sets of Tooling Includes: (\$1,100 Value)
 - Beading Dies 5/32", 1/4", 3/8", 5/32", 19/32"
 Step Dies 1/16", 1/8", 1/4", 3/8"

 - Ogee Bead 1 Set
 - Shearing Die 1 Set
 - Art Die 1 Set

ARTWORK TABLE FOR WFBR24E & WFBR42E

WFBR24E42ET

\$219⁹⁹





POWER BEAD ROLLER

- 24" Throat Depth
- 110 Volt Electric
- Forward/Reverse
- Variable Speed Foot Control
- 1/2" Round Bead Die
- Floor Stand, Die Rack

1595⁰⁰ #WFBR24P

We Know What We Sell! Call Us!

MANUAL BEAD ROLLER

- 24" Throat Depth
- Manual Operation
- 18 Gauge Mild Steel Capacity or 1/16" Aluminum
- 1/2" Round Bead Die
- Floor Stand, Die Rack





POWER BEAD ROLLER

- 36" Throat Depth
- 110 Volt Electric
- Forward/Reverse
- Variable Speed Foot Control
- 1/2" Round Bead Die
- Floor Stand, Die Rack

975⁰⁰ #WFBR36P

Great **Buys for** Tool Guys!

See Pages 46 and 47 for Bead Roller Dies and Accessories

Our Largest "MONSTER 43"
Throat Depth

POWER BEAD ROLLER

- 43" Throat Depth
- 110 Volt
- Forward/Reverse
- Variable Speed Foot Control
- 1/2" Round Bead Die
- Includes Floor Stand, Die Rack

\$2995⁰⁰ #WFBR43P















We can custom make a set of dies for you out of many different materials!

Dies and Accessories fit Models WFBR24M, WFBR24P, WFBR36P, WFBR43P Bead Rollers

Dies all	d Accessories in Mode
-	BR45N \$95.00 45 Degree Nylon BR45S \$95.00 45 Degree Steel
4	BRSPOILN \$89.00 11/4" Spoiler Roll Nylon BRSPOILS \$89.00 11/4" Spoiler Roll Steel
-	BRTD \$95.00 Tipping Die
-	BRHEM140 \$129.00 140 Degree Hem Die
	BRHEM90 \$99.00 90 Degree Hem Die
	\$59.00 Flat Hem Die



\$95.00 BRRB1N 1" Round Bead Die Nylon \$95.00 **BRRB1S** 1" Round Bead Die Steel \$95.00 BRRB3/4N 3/4" Round Bead Die Nylon \$95.00 BRRB3/4S 3/4" Round Bead Die Steel \$95.00 BRRB5/8N 5/8" Round Bead Die Nylon \$95.00 BRRB5/8S 5/8" Round Bead Die Steel \$95.00 BRRB1/2N 1/2" Round Bead Die Nylon \$95.00 BRRB1/2S 1/2" Round Bead Die Steel \$95.00 BRRB3/8N 3/8" Round Bead Die Nylon \$95.00 BRRB3/8S 3/8" Round Bead Die Steel \$95.00 BRRB5/16N 5/16" Round Bead Die Nylon \$95.00 BRRB5/16S 5/16" Round Bead Die Steel \$95.00 BRRB1/4N 1/4" Round Bead Die Nylon \$95.00 BRRB1/4S 1/4" Round Bead Die Steel \$95.00 BRRB3/16N 3/16" Round Bead Die Nylon \$95.00 BRRB3/16S 3/16" Round Bead Die Steel BRRB1/8N 1/8" Round Bead Die Nylon \$95.00 \$95.00 BRRB1/8S 1/8" Round Bead Die Steel



BRSD1/4N 1/4" Step Die Nylon	\$95.00
BRSD1/4S 1/4" Step Die Steel	\$95.00
BRSD3/16N 3/16" Step Die Nylon	\$95.00
BRSD3/16S 3/16" Step Die Steel	\$95.00
BRSD1/8N 1/8" Step Die Nylon	\$95.00
BRSD1/8S 1/8" Step Die Steel	\$95.00
BRSD9N .90" Step Die Nylon	\$95.00
BRSD9S .90" Step Die Steel	\$95.00
BRSD1/16N 1/16" Step Die Nylon	\$95.00
BRSD1/16S 1/16" Step Die Steel	\$95.00



BRTUBE-40 \$219.00

1" Tube Roll Die

Dies and Accessories fit Models WFBR24M, WFBR24P, WFBR36P, WFBR43P Bead Rollers



BRFB1N 1" Flat Bead Die Nylon	\$95.00
BRFB1S 1" Flat Bead Die Steel	\$95.00
BRFB3/4N 3/4" Flat Bead Die Nylon	\$95.00
BRFB3/4S 3/4" Flat Bead Die Steel	\$95.00
BRFB1/2N 1/2" Flat Bead Die Nylon	\$95.00
BRFN1/2S 1/2" Flat Bead Die Steel	\$95.00
BRFB3/8N 3/8" Flat Bead Die Nylon	\$95.00
BRFB3/8S 3/8" Flat Bead Die Steel	\$95.00
BRFB1/4N 1/4" Flat Bead Die Nylon	\$95.00
BRFB1/4S 1/4" Flat Bead Die Steel	\$95.00
BRFB3/16N 3/16" Flat Bead Die Nylon	\$95.00
BRFB3/16S 3/16" Flat Bead Die Steel	\$95.00
BRFB1/8N 1/8" Flat Bead Die Nylon	\$95.00
BRFB1/8S 1/8" Flat Bead Die Steel	\$95.00



Jesse Castillo Lordz of Customz

BEAD ROLLER

- Work up to 1/16" Mild Steel
- 12" Throat Depth
- Adjustable Fence
- Massive 11/2" Diameter **Spindles**
- Forward-Reverse Foot Pedal
- 220 Volt Single Phase
- Includes 1/2" Bead Die, 1/2" 45 Degree Die, Shearing Die
- Weight 1300 Pounds



#WFBR218

SUPER PRECISION HIGH QUALITY

ROTARY FORMER

- 7" Deep Throat
- Cast Iron Frame
- Adjustable Stops
- 18 20 Gauge Capacity
- Hardened and Ground Shafts
- Gear Drive
- 6 Sets of Dies; 1/8" and 3/16" beading, 1/4" Ogee (double beading), 90 degree step, 45 degree step and crimping die (duct work)

#SPRF ROTARY FORMER KIT



47



#WF14006

HOLE CUTTER KIT

7/8", 1¹/₈", 1³/₈", 1³/₄", 2", 2¹/₂" Cutters **21762** Arbor, Hex Washer and Extra Pilot

#WF11082

SPOT WELD CUTTER

(3) 3/8" Cutters, Arbor, (2) Extra Pilots

\$**49**05

BLAIR CUTTERS

If the hole is critical and a hardware store hole saw won't do - this is THE CUTTER!

Makes holes faster and with superior quality. These cutters have a heavier wall for extreme durability. Two step geometry that cuts faster and clears chips easier.



- HAND FLANGER Make a Perfect Over-lap Weld Joint in Seconds
- No Need to Remove the Panel from the Car
- The 5/8" Wide Jaw Will Work on Straight Edges and Contours



DE JAW .ANGER

• 21/2" Wide Jaw Makes Short Work of Flanging Long Straight Edges



SPOT WELD CUTTER SET

• Includes 5/16" and 3/8" **Double Sided Cutters** and Arbor



"Stop Beating Parts with a Hammer in a Vise!" Makes Professional Bends

FORM BENDER

- Easy Bending Brake
- 4" Die Width
- 3/16" Capacity

DIMPLE DIES New 3-Way Punch & Flare Tools

- Can by Used to Punch Holes, Punch and Flare at the Same Time or Flare **Existing Holes**
- Precision Ground Hardened Cutting Edges
- Punch up to 16 Gauge (1/16") Mild Steel or 14 Gauge Aluminum
- Requires 1/2" Pilot Hole
- Draw Bar Bolt Included



DIMPLE DIES

#PF3A	¹/2 "	\$46.99
#PF3B	⁵ /8″	\$47.99
#PF3C	³ / ₄ "	\$48.99
#PF4A	1"	\$64.99
#PF4B	11/4"	\$74.99
#PF4C	11/2"	\$83.99
#PF4G	1 ⁵ /8″	\$89.99
#PF4D	13/4"	\$89.99
#PF4E	2"	\$102.99
#PF4EE	21/4"	\$106.99
#PF4F	21/2"	\$109.99
#PF4FF	23/4"	\$129.99
#PF4H	3″	\$136.99
#PF13	13-PC. SET	\$969.99



PANEL GAUGE

\$**99**⁹⁵

- Weighs Only 6 Pounds, 48" Long
- Chrome Plated
- Easy to Adjust with Thumb Screws
- Use for Large Panel Replacements and Repairs



3" AIR CUT-OFF TOOL

- Cut Through Bolts or Sheet Metal in Seconds
- Fast 18,000 RPM
- Lightweight
- Requires 4 CFM or 1½ HP Compressor





- Maximum Material 3/16" x 1" Flat Steel
- 1/4" Round Bar
- · Easy to Operate
- Minimum Ring Diameter 1½"



AIR SAW

- 10,000 Strokes per Minute
- Adjustable Blade Guard
- Rear Exhaust

\$99⁹⁹



WOODWARD-FAB RING ROLLER

- Rolls up to 3/16" thick x 1-1/2 " wide metal
- Round stock or tubing rolling with included roller dies with 1/8", 3/16" and 9/32" grooves
- Roll as tight as 3" diameter
- Positional gauge and Depth stop
- Uses hardened gear drive system
- Easy to operate



BRACKET MAKER

- Forms Flats up to 23/4" x 1/4"
- Forms Rounds up to 3/8"
- Includes 90° Tools and Radius Tools
- Degree Ring with Stops
- Length Stop
- Weight 70 Pounds

\$**379**⁹⁹

\$249⁹⁹



PAINT SHAKER

- Air Operated, Holds 1 Gallon and Quart Cans
- Heavy Duty Steel
- Easy to Clean Chrome Frame
- Mix a Gallon of Paint in Under 2 Min.

#WFPAINTSK1

\$289⁹⁹

HOG RING PLIER KIT


- High Quality, Long Reach Kit
- 6³/₄" Length Plier
- Comfort Grip
- Spring Closure
 Assist Holds Rings
 in Place



INCLUDES RING PKG.
AND STORAGE CASE
#WFHOG-KIT

\$**42**95

PUNCH AND FLANGER COMBO



- 11" Length
- Spring Return Handle
- 3/16" Diameter Punch



#WFPF

\$99⁹⁹



#WFHOG-R 100 PC. 3/4" Hog Rings \$3.99

HOG RING 2-PC. PLIER SET

- A Must Have Tool for Installing New Seat Covers
- Includes: 7" Straight Plier, 7" 45
 Degree Plier, 50 Pieces 3/4" Hog
 Rings


\$35⁹⁵

#WFHOG



TUBE BENDER

 Makes Easy, Kink Free Bends for Brake Lines, Transmission Lines, etc.



• 12" Length

#WF4-1BEND

\$34⁹⁹



PLUG-SPOT WELD PLIERS

- Secures 2 Pieces of Sheet Metal Together for Welding
- Copper Plated Swivel Pad to Stop Weld Spatter

36⁹⁹

HYDRAULIC REBAR CUTTER

- Cuts Rebar Steel or Braided Cable from 3/16" to 7/8" Diameter
- Just Pump the Handle! Almost Effortless Cutting
- Includes Plastic Storage Case
- 13" Length, Weighs Only 9¹/₂ lbs.



\$129⁹⁹ #R22

BRAKE BLEEDER

\$169⁹⁹ #WFBLEED

- Easy to Use Air Operated
- No Bubbles
- No Brake Pumping
- No Slow Hand Pumps
- No Reverse Push Type Systems That Put Old Junky Fluid into the Master Cylinder
- Collects All Brake Fluid Without a Mess
- 2 Quart Capacity Cup, Includes Instructions



800.391.5419

www.woodwardfab.com

MITER BAND SAW

- Miter Cutting Band Saw
- Head Swivels up to 60 Degrees
- Fast and Simple Set-Up
- No need to swing the material in the shop or mess around with trying to swivel a vise
- Quick Approach Vise
- Hydraulic Fine Feed Adjustable Head Down Pressure
- Speeds 78 / 117 / 198
- Ball Bearing Blade Guides
- Adjustable Work Stop
- Wheels to make moving around the shop easy
- Uses 1/2" x .025 x 641/2" Blade
- 1/2 Horsepower 110 Volt Shipping Weight 350

90 5" Rounds - 4"x6" Rectangles 45 33/4" Rounds - 23/4" x33/4" Rectangles

60 13/4" Rounds - 13/4" x21/8" Rectangles



BAND SAW

- Miter Cutting Band Saw
- Head Swivels up to 45 Degrees
- Quick Approach Vise with Cam Lock
- Ball Bearing Blade Guides
- Thru Guide Coolant
- 4 Gallon Coolant Reservoir
- Hydraulic Fine Feed Adjustable Head Down Pressure
- Chip Brush to keep blade clean
- Adjustable Work Stop
- 1 Horsepower 110 Volt
- Speeds 86 / 132 / 178 / 260

- Uses 3/4" x .030 x 93" Blade
- Shipping Weight 550 lbs.
- Wheels to make moving around the shop easy
- Cuts

90 7" Rounds - 7" x 12" Rectangles 45 5" Rounds -

43/4" x 43/4" Rectangles

^{\$}2499⁹⁹



#WFS712



MITER CUT BAND SAW

- Head Pivot to 45°
- 2 Speeds, 130, 260 FPM
- Blade Size 7/8" x 3/4" x 82"
- 11/2 Horsepower 110 Volt
- Cuts Rounds up to 63/4"
- Rectangles up to 63/4" x 81/4"

Call Us For **More Information!**



ABRASIVE SAWS

Abrasive Blade Cuts Steel and Aluminum Fast!

- 220 Volt Three Phase
- Double Pivot Point on the Head to Prevent Vibration and Make Better Cuts
- Miters Both Left and Right up to 45 Degrees
- Self Centering Vise Always Keeps the Blade at Top Dead Center Over the Work Place
 - 22" Adjustable Length Stop
 - Hand Trigger On/Off
 - Heavy Duty Cast Iron Frame
 - Emergency Stop Switch
 - Uses 1" Arbor Abrasive Blades

#WFAS300 12" BLADE \$219500

 Material
 90 degrees (Straight)
 45 degrees

 Round tube
 4"
 31/2"

 Rectangle Tube
 21/2" x 41/2"
 21/2" x 31/2"

\$2395⁰⁰

Material 90 degrees (Straight) 45 degrees

Round tube $4^{3}/_{4}$ " 4"

Rectangle Tube $3^{1}/_{2}$ " $x 4^{1}/_{2}$ " 3" x 4"

#WFAS400 16" BLADE \$299500

Material	90 degrees (Straight)	45 degrees	
Round tube	5¹/₂ "	4 ³ / ₄ "	
Rectangle Tu	ube 31/2" x 43/4"	3 ¹ / ₂ " x 4 ¹ / ₄ "	

16" COLD SAW

#WFAS350

- 3 3/4 Horsepower, 220 volt 3 phase electric
- 2 speed motor select 20 rpm or 40 rpm. Ideal for Aluminum to Stainless Steel
- Gear Reduction head
- Double pivot point on the head to prevent vibration and make better cuts
- Miters both left and right up to 60 degrees
- Double Clamping Vise
- Adjustable vise jaws
- 8-1/2" Max Vise Opening
- Fully guarded blade
- Built in flood coolant tank and pump
- Length Stop
- Chip Tray
- Spring assist head up
- Emergency stop switch
- Free blade included
- Blade Chip Wire Brush
- Shipping weight 1020 lbs

CAPACITY:

- 45°: Round Pipe 4-1/2" Square Tubing 4-1/8" x 4-1/8"
 - Angle Iron
 - 4" x 4"
 Solid Round Bar 2-1/2"
 - Solid Square 4" x 2"
- 90°: Round Pipe 4-3/4" Square Tubing
 - 4-3/8" x 4-3/8"
 - Angle Iron
 4-1/2" x 4-1/2"
 - Solid Round Bar 2-1/2"
 - Solid Square 6" x 3"



CUT OUT AND SAVE



24 ga
22 ga0286
1/32
20 ga0348
18 ga0475
16 ga 1/160625
14 ga
3/320937
12 ga1053
1/8
10 ga
5/321562
8 ga
3/161875
7/322187
1/4

WOODWARD FAB

PIPE CONVERSION CHART **SCHEDULE 40 PIPE**

Diameter	Wall Thickness
3/8"	091"
1/2"	109"
3/4"	
1"	133"
11/4"	140"
11/2"	145"
2"	154"



The First Choice for Cutting Tubing or Structural Steels

- Enclosed Cast Iron Reduction Gear Boxes
- **Build-in Coolant Systems for Improved**
- Capable of Mitering Left or Right
- Adjustable Hardened Vise Jaws
- Fully Guarded Blade
- Convenient Trigger On/Off Switch
- **Enclosed Metal Floor Stand**
- Extra Heavy Pivot to Prevent Vibration
- 220 Volt Single Phase Electric, 36 RPM

#WFCS250 10" BLADE

Material	90 degrees (Straight)	45 degrees
Round tube	e 3"	2"
Square tub	e 21/2"	2"
Rectangle 1	Гube 3" x 3"	2" x 2"
Solid	1.5"	1"

#WFCS315 121/2" BLADE

90 degrees (Straight) 45 degrees 35/8" 35/8" 31/4" 3¹/8**"** Rectangle Tube 41/4" x 23/4" 31/4" x 23/4" 13/4"

#WFCS350 14" BLADE


Material	90 degrees (Straight)	45 degrees
Round tube	41/2"	4"
Square tube	41/4" - 41/4"	4" - 4"
Rectangle Tu	ube 5¹/2" x 4"	4" x 4"
Solid	2"	13/4"

Models WFCS315 and WFCS350

- Self Centering Device for Cleaner Cuts
- Clamp On Both Sides of the Workpiece to Eliminate Burrs
- Miters up to 180 Degrees You Can Even Slot!







Cures Poor Tool Life! Improves Finishes! Safe Vegetable Oil Base

USE FOR:

- Tapping Drilling
- Milling Reaming
- Broaching
- Beveling

#PS4				45
4-oz.	Pump Spray		δ.	45
#PS8		\$4	12	1 E

#LUBEG Gallon \$116.95



Stacey David "Gearz TV"

CAST IRON DRILL PRESS VISE

- Industrial Frame, Hardened
- Jaw Opening 43/4", Jaw Width 5", Jaw Height 1"
- Weight 23 lbs.





Max. Drill Size 1/2" 5/8 HP Spindle Travel 2" Table 7" x 7" Height 25" Weight 60 lbs.

DRILL PRESSES

Woodward-Fab Drill Presses have all the right features, laser sights, variable speed, digital read-outs, cast iron tables and bases, tilt tables, spring tension drill safety guards. 300 - 2300 RPM.







#DP15 Floor Model Max. Drill Size 5/8" 3/4 HP Spindle Travel 33/8" Table 12" Height 64"

#DP15

Weight 140 lbs.

Max. Drill Size 5/8"

3/4 HP

Spindle Travel 33/8"

Table 12"

Height 35"

Weight 160 lbs.



PLASMA CUTTING MACHINES

- Sturdy Metal Cabinets
- Solid State Electronics
- 220 Volt Single Phase Electric
- Includes Hand Torch with Cable, Ground Cable with Clamp and Power Cord



CRAZY LOW PRICES!



PL320

Requires compressed air to operate / 3cfm @ 30-60 pounds (2hp compressor)

\$49999

#PL320

- Cut up to 5/16" Mild Steel
- Duty Cycle 60%
- Current Range 20-30 amp Output
- Weight 18 lbs

RATED "INDUSTRIAL"

\$**599**⁹⁹

- Cut up to 1/2" Mild Steel
- Variable Output Regulator

MIG-300

- Duty Cycle 60%
- Current Range
 20-40 amp Output
- Weight 28 lbs

MIG WELDERS

- For Home or Light Industrial Use
- Sturdy Metal Cabinets
- Solid State Electronics
- 220 Volt Single Phase Electric
- Includes Power Source, MIG Gun and Cable, Ground Cable with Clamp and Power Cord

MIG-190



.

*MIG-300 \$**759**99

- Weld Mild Steel from .025" up to 5/16" or .047"
 Infinitely Variable Wire Feed
- Speed
- Variable Output Current
- Amerage Range 40-180
- Weight 22 lbs
- Use with Gas for Best Results

#MIG-190

\$**299**⁹⁹

- Weld Mild Steel from .025" up to 3/16" or .047"
- Uses Flux Core Wire No Gas Needed!
- Amperage Range 50-120 Weight 20 lbs

TIG WELDER

- For Home or Light Industrial Use
- Sturdy Metal Cabinets
- Solid State Electronics
- 220 Volt Single Phase Electric
- Includes Power Source, Electrode Holder, Ground Cable with Clamp and Power Cord
- Weld from .025" up to 3/16" Mild Steel
- Amerage Range Output 10-160
- Infinitely Variable Output Control
- Duty Cycle 60%

#TIG-180

\$469⁹⁹

MEAN GREEN TIG





AC/DC INVERTER TIG WELDER

- For Home or Light Industrial Use
- AC/DC TIG Welding
- Square Wave Output, Stable Arc, HF
- 60% Duty Cycle
- 220 Volt Single Phase Electric
- Amerage Range Output: 10-250
- Includes MMA Function for Stick Welding
- Includes TIG and Stick Torches, Ground Clamp, Power Cord and Accessories

#TIG-250



#TIG-F

\$**999**⁹⁹

FOOT CONTROL FOR #TIG-250 \$89.99



MANUAL WELD POSITIONER

- Table rotates 360 degrees with 15 degree stops and fine adjustment stops
- Table beam rotates 0-30 degrees up and down
- Table can be locked in position or rotated by hand with the 8" diameter hand wheel
- Maximum weight capacity horizontal 675 pounds
- Maximum weight capacity vertical 325 pounds
- Floor base 48" x 51"

#WFWPM15 WEIGHT 452 LBS.

\$2195⁰⁰



MANUAL WELD POSITIONER

- Table 12" x 12"
- Table height positions 28", 29", 32" and 34"
- Table angle stops 0, 30, 45, and 90 degrees
- Maximum weight capacity horizontal 675 pounds
- Maximum weight capacity vertical 325 pounds
 - Floor base 48" x 51"

#WFWPM10 WEIGHT 260 LBS.

\$1195⁰⁰



THROUGH HOLE POSITIONER

- Ideal for welding tube
- 23/8" through hole
- Includes 8" three jaw self centering chuck
- Variable speed 0-6 rpm
- Manual with gear assist tilt 0-90 degrees
- Maximum weight capacity 200 pounds horizontal or 100 pounds vertical

#WFWP200-T

3829⁰⁰







#WFWPM12

MANUAL WELD POSITIONER

- Table diameter 10"
- Table rotates 360 degrees with 15 degree stops and fine adjustment stops
- Table beam rotates 0-30 degrees up and down
- Table can be locked in position or rotated by hand with the 4" diameter hand wheel
- Maximum weight capacity horizontal 65 pounds
- Maximum weight capacity vertical 45 pounds
- Base size 14" x 24"

#WFWPM12 WEIGHT 100 LBS.

\$995⁰⁰

Power Weld Positioners Feature:

- Rugged cast iron tables
- Sealed gear boxes
- Worm gear drive for smooth operation with minimum backlash
- Industrial foot controls
- 300 amperage capacities

POWER WELD POSITIONER

- Maximum horizontal weight 1300 pounds
- Rotation speed 0.1 1 RPM
- Power 220 volt electric 3 phase
- Table diameter 39"
- Angle range 0-90 degrees
- Tilt Power with scale and 3 adjustable stop
- Machine weight 1390 pounds

#WFWP1300-200-3

⁵7989⁰⁰





POWER WELD POSITIONER

- Maximum horizontal weight 1200 pounds
- Maximum vertical weight 560 pounds
- Rotation speed 0-5 RPM
- Power 110 volt electric
- Table diameter 21⁵/8"
- Angle range horizontal to 45 degrees
- Tilt Power

#WFWP1200

\$359900

Machine weight 560 pounds

POWER WELD POSITIONER

WFWP500

- Maximum horizontal weight 500 pounds
- Maximum vertical weight 225 pounds
- Rotation speed 0-5 RPM
- Power 110 volt electric
- Table diameter 13"
- Angle range 0-135 degrees
- Tilt Manual
- Height 17³/4"
- Machine weight 110 pounds

WFWP800

- Maximum horizontal weight – 800 pounds
- Maximum vertical weight 275 pounds
- Rotation speed 0-5 RPM
- Power 110 volt electric
- Table diameter 13"
- Angle range 0-135 degrees
- Tilt Manual
- Height 187/8"
- Machine weight 120 pounds

#WFWP800

\$1599⁰⁰



\$1399⁰⁰

#WFWP500

SMALL BENCH TOP WELD POSITIONING TABLE WITH CHUCK 250 POUND CAPACITY

Small design ideal for table or bench mounting.
Thru Hole Model Available WFWP-110T Capable of 2-1/2"

- Maximum Horizontal Weight 250 Pounds
- Maximum Vertical Weight 120 Pounds
- Rotation Speed Variable 0-8 RPM
- Switchable from Panel Control to Foot Pedal Control
- Power 110 Volt Electric
- Includes 8" 3 jaw Chuck
- Angle Range Horizontal to 30°,60°, 90° using position pins
- Tilt Manual
- Machine Weight 190 Pounds

WFWP-110

\$2199⁰⁰

WFWP-110T Thru Hole Model \$2599⁰⁰



3300 POUND WELD POSITIONER



WFWP3200

\$17995⁰⁰

- Maximum Horizontal Weight 3300 Pounds
- Maximum Vertical Weight 2200 Pounds
- Rotation Speed 0.1 1.2 RPM
- Power 220 Volt Electric 3 Phase
- Table Diameter 40"
- Angle Range 0-90 Degrees
- Tilt Power Control Pendant Controller
- Machine Weight 3000 Pounds





WELD POSITIONER SPEED CHUCKS

- 3 Jaw Self Centering Scroll Chuck
- Rapid Opening and Closing
- Clamp Inside or Outside

#WFWP12-S 12" DIAMETER

\$39900

**

#WFWP15-S 15" DIAMETER

\$499°°

*#WFWP500, #WFWP800

#WFWP20-S 20" DIAMETER

\$79900

*#WFWP500, #WFWP800



#WFS10000

#WFS5000

WELD POSITIONER PRECISION CHUCKS

- Superior Clamping Force
- 3 Jaw Self Centering Fixed Chuck
- Clamp Inside or Outside
- Includes Extra Jaw Set

#WFWPC6-3 6" DIAMETER

⁵259⁰⁰

*#WFWP500, #WFWP800

WFWPC10-3 10" DIAMETER

\$**489**00

*#WFWP1200, #WFWP500, #WFWP800



- Non Marring and Self Gripping Polyurethane Wheels
- Adjustable Rolls hold Rounds from 2" to 36"
- Heavy Frame and Extra-Large Adjusting Screw
- 8" Travel Height
- Load Capacity 5,000 pounds
- Wheel Size 8" OD x 2.50" W
- Height 28"
- Weight 178 pounds

\$1095⁰⁰ #WFS500

- Non Marring and Self Gripping Polyurethane Wheels
- Adjustable Rolls hold Rounds from 10" to 48"
- Heavy Frame and Extra-Large Adjusting Screw
- Screw Travel 8"
- Load Capacity 10,000 pounds
- Wheel Size 12" OD x 4" W
- Height 35"
- Weight 662 pounds

\$2195°00

Woodward Fab Metal Working Equipment

ADJUSTABLE HEIGHT V-HEAD ROLLER JACK STAND

- Heavy Duty Construction
- Foldable Design
- 1000 pound Capacity
- Adjustable Height: 28" 46"
- Street V-Head with Smooth Easy-Rolling Street Transfer Balls
- Fast Adjusting Acme Threads
- Weight: 39 pounds





ADJUSTABLE HEIGHT V-HEAD JACK STAND

- Heavy Duty Construction
- Foldable Design
- 2400 pound Capacity
- Adjustable Height: 28" 46"
- Street V-Head
- Fast Adjusting Acme Threads
- Weight: 39 pounds



WOODWARD FAB ADJUSTABLE HEIGHT TURNING SPINNING PIPE JACK STAND

- Heavy Duty Construction
- Foldable Design
- 1000 pound Capacity
- Adjustable Height: 28" 46"
- Street Roller Heads for Turning/Spinning the Workpiece
- Fast Adjusting Acme Threads
- Weight: 39 pounds

WFRSW







POWER TURNING ROLL SET

- Non Marring 8" x 2-5/8" Self Gripping Polyurethane wheels
- Fixed Rolls Hold Rounds from 1-1/2" to 24"
- Variable Speed 0-80 rpm
- 110v 1/4 HP Motor
- Foot Pedal Control
- Forward and Reverse Operation
- Includes one set driven wheels. one set of idler wheels
- Load Capactiy: 2,200 pounds
- Weight 240 pounds
- Ships by Truck Freight

- Non Marring 8" x 2-5/8" Self Gripping Polyurethane wheels
- Fixed Rolls Hold Rounds from 8" to 30"
- Variable Speed 0-65 rpm
- 110v 1/3 HP Motor
- Foot Pedal or Pendant Control
- Forward and Reverse Operation
- Includes one set driven wheels. one set of idler wheels
- Load Capactiy: 2,700 pounds
- Weight 250 pounds
- Ships by Truck Freight



For Serious Metal Forming

CAST STEEL ANVILS

- High Strength Cast Steel with High Impact Toughness - NOT CAST IRON!
- Tensile Strength is 87,000 PSI with a 45-55 Rockwell Hardness
- Each Anvil Features 2 Horns, a Hardy Hole (square) and a Pritchel Hole (round)

#A11	11 Pounds	\$ 64.95
#A22	22 Pounds	\$ 127.95
#A66	66 Pounds	\$318.95
#A154	154 Pounds	\$879.95
#A220	220 Pounds	1199.95



BENCH VISE BENDING BRAKE

- Make Precision Bends in Thick Steel with Ease
- Ideal for producing Brackets and Small Fabrications
- Bend up to 16 Gauge (1/16") Mild Steel or 14 Gauge Aluminum
- 3/4" Wide Die
- Rugged Cast Iron Frame
- Handy Imbedded Magnets Hold the Brake Inside any Steel Bench Vise
- 4" Length
- 3 Removable Fingers to Create Box Shapes,
 2", 1" and 7/8" Widths, (.900") long

\$**69**⁹⁹

#WFVB4

- 8" Length
- 5 Removable Fingers, 4", 2". 1", 1/2",7/8" Widths, (.900") Long

\$119⁹⁹

#WFVB8



WELDING POSITIONING TABLE

- All Steel Construction
- 38" x 47" Top x 39" Height
- Thick .006" Top Plates with 45mm (5/8") Holes on 2" Centers
- Weight Capacity 2600 Pounds
- Adjustable Leveling Pads
- Weight 535 Pounds

\$**2999**00

#WT-38-47-S



\$3799°°

#WT-31-47-C

- 31" x 27" Top x 37" Height
- Finish Machined Top to .0025" Tolerance per foot
- Corrosion Resistant Plasma Nitride Finish with a 49.7 Rockwell Hardness
- 1" Thick Top and Sides with (1¹/₈") Holes on 1000MM (4") Centers
- Adjustable Leveling Pads
- Weight 885 Pounds

We Know
What We Sell
Call Us!



THE ORIGINAL HECK][HEUER Vise



- Zinc spindle key with riveted safety rings made of steel
- Drop-forged front jaw
- 3. Protected precision spindle bearing
- 4. Surface-hardened clamping jaws
- Slim but stable guide tracks (drop-forged) provide greater clamping depth
- High, optimally distributed clamping force from the centrally located and well-protected spindle with double action trapezoid thread allowing quick opening and closing
- 7. Hardened pipe-gripping jaws as

- production standard
- 8. Drop-forged rear jaw with specially formed anvil
- 9. Strong, forged spindle nut
- 10. Finished drop forged guiding brackets
- 11. Guide adjustable by centrally located screw
- Internal dual-prism guide track preventing fouling and damages. Large track surfaces fully machined to guarantee precision and long service life.

FORGED STEEL | | | HEUER Vise | the original | forged entirely from steel!



4"	VH100100	\$299.99
5"	VH100120	\$389.99
5.5'	′ VH100140	\$539.99
6"	VH100160	\$699.99
7"	VH100180	\$799.99

The Heuer vise is the finest bench vise in the world. Born in Germany and still made in Germany.

In 1925 Josef Heuer was granted his first patent for the "Duel Prism - Guide Track" design.

The Heuer vise is constructed from a forged steel frame, 35% stronger than cast iron, making it the best choice for precision, smooth as silk machined surfaces and indestructible vise.

FORGED STEEL] [HEUER Vise with replaceable, reversible jaws



5"	VH101120	\$499.99
5.5	" VH101140	\$669.99
6"	VH101160	\$949.99

Heck][HEUER Vise accessories

FOLD & **STOW**

Simply pull the front knob and the vise slips under your bench. Keeps your bench surface clear.



5"	VLH105120	\$599.99
5.5"	VLH105140	\$599.99

ROTATABLE ADJUSTABLE HEIGHT FLOOR STAND

34" - 42" high

5"	VLH117120	\$549.99
5.5"	VLH117140	\$549.99
6" - 7"	VLH117160	\$549.99



5"	VCLH106120	\$999.99
5.5"	VCLH106140	\$999.99



C-CLAMP MOUNT

Up to 23/8" opening

4"	VTC119100	\$78.99
5"	VTC119120	\$115.99



ADD A **ROTATING BASE**

360 degree rotation Sealed swivel to keep dirt out

4"	VRH103100	\$82.99
5"	VRH103120	\$124.99
5.5"	VRH103140	\$169.99
6" - 7'	′ VRH103160	\$299.99



CAST IRON VISE 61/2" JAWS Industrial Size

- Heavy duty solid cast iron construction
- Swivel base
- Replaceable hardened steel jaws
- Pipe jaws
- Large anvil area
- Sealed ram Ideal for use around grinding or welding
- Weight 70 pounds



CAST IRON VISE 4" JAWS

- Heavy duty solid cast iron construction
- Swivel base
- Replaceable hardened steel jaws
- Pipe jaws
- Jaws also offer V-grooves for holding rounds such as tube or bolts
- Weight 19 pounds

][HEUER **MAGNETIC SNAP-IN**



FOR USE WITH ALL OUR VISES

Size	POLYURETHAN	IE Price	ALUMINUM	Price
100 (4")	VCH108100	\$64.99	VCH109100	\$85.99
120 (5")	VCH108120	\$69.99	VCH109120	\$89.99
140 (5.5")	VCH108140	\$88.99	VCH109140	\$99.99
160 (6")	VCH108160	\$93.99	VCH109160	\$102.99
180 (7")			VCH109180	\$102.99
Size	FELT	Price	RUBBER	Price
100 (4")	VCH113100	\$93.99		
120 (5")	VCH113120	\$98.99	VCH112120	\$83.99
140 (5.5")	VCH113140	\$102.99	VCH112140	\$88.99
160 (6")	VCH113160	\$107.99	VCH112160	\$93.99
180 (7")	VCH113180	\$107.99	VCH112180	\$94.99





Ask About Special Lease Pricing



SHRINKER/STRETCHER SET


- Our Entry Level Kit Includes 2 Cast Iron Bodies, 2 Handles with Shrinking and Stretching Jaws
- 18 Gauge Capacity Mild Steel or 1/16" Aluminum



- Easy to Read
- 31/4" Diameter
- Engraved Scale
- Read Gauges from 30 to 0 Gauge on one side, on back side read from .0125" to .3125"

SHEET METAL
THICKNESS GAUGE

\$16⁹⁵



96 39 57 56 56

BEAD ROLLER

#WFBR6

- Easy to Operate
- Includes 6 Sets of Dies;
 1/4", 3/8" and 1/2" beading dies, 1/16", 1/8" and
 1/4" step dies
- Clamps in a Bench Vise
- 18" Deep Throat
- 18 Gauge Capacity

\$24999



PLASTIC CAR COVERS

- 3 Mil Thick Plastic
- Protection from Dust, Bird Droppings and Shop Dirt
- Ideal for Indoor Storage or a Drizzle at Your Next Car Show

#WFCCC-Small 19'

\$4.7

#WFCCC-Med. 22'

^{\$1899}

#WFCCC-Large 24'

Toll Free 800.391.5419
Phone 810.632.5419
Fax 810.632.6640
www.woodward-fab.com



CALL YOUR FRIENDS AT 1.800.391.5419